401-2593 This is a 22 CONTROLLED DOCUMENT EG&G - ROCKY FLATS PLANT ENVIRONMENTAL MANAGEMENT This is a RED Stamp

ROCKY FLATS PLANT **EM RADIOLOGICAL GUIDELINES**

Manual No.: Procedure No.: 3-21000-OPS-EMRG

Table of Contents, Rev 1

Page:

1 of 2 01/18/93

Effective Date: Organization:

Environmental Management

TABLE OF CONTENTS **EM RADIOLOGICAL GUIDELINES**

| Guideline No. | Title | Rev. No. | Effective Date |
|--|---|-----------------------|--|
| EMRG 1.0 | Organization and Responsibilities | 0 | 12/06/91 |
| EMRG 1.1 | Gama Radiation Surveys | 0 | 12/06/91 |
| EMRG 1.2 | Beta Radiation Surveys | 0 | 12/06/91 |
| *DCN 93.01 | Compliance to Health & Safety Practices Manual | 0 | 01/14/93 |
| EMRG 1.3 | Posting of Radiation Protection Requirements | 0 | 12/06/91 |
| *DCN 93.01 | Compliance to Radiological Protection Program | 0 | 01/14/93 |
| EMRG 2.1 | Personnel Contamination Monitoring | 0 | 12/06/91 |
| *DCN 93.01 | Compliance to Radiological Control Manual | 0 | 01/14/93 |
| EMRG 2.2 | Possible Inhalation Exposure | 0 | 12/06/91 |
| *DCN 93.01 *DCN 93.02 *DCN 93.03 *DCN 93.04 *DCN 93.05 | Compliance to Radiological Protection Program Wounds and Skin Contamination | 0 0 0 0 0 | 01/14/93 01/14/93 01/14/93 01/14/93 01/14/93 12/06/91 |
| *DCN 93.01 *DCN 93.02 | Table 1 replacement for Internal Dosimetry Evaluation Compliance to Radiological Protection Program | 0 | 01/14/93 01/14/93 |
| EMRG 3.1 | Performance of Surface Contamination Surveys | 0 | 12/06/91 |
| *DCN 93.01 | Correction to Reference WO-4034 | 0 | 01/14/93 |
| EMRG 3.2 | Survey Requirements for Conditional and Unrestricted Use | 0 | 12/06/91 |

DOCUMENT CLASSIFICATION REVIEW WAIVER PER R.B. HOFFMAN, CLASSIFICATION OFFICE JUNE 11, 1991

ROCKY FLATS PLANT EM RADIOLOGICAL GUIDELINES Manual No.: Procedure No.: 3-21000-OPS-EMRG Table of Contents, Rev 1 2 of 2

Page: Effective Date:

01/18/93

Organization:

Environmental Management

| Guideline <u>No.</u> | Title | Rev. No. | Effective <u>Date</u> |
|-------------------------|---|-------------|--------------------------|
| EMRG 3.5 | Handling of Contaminated Dosimetry/Security Badges | 0 | 12/06/91 |
| *DCN 93.01 | Word Correction | 0 | 01/14/93 |
| EMRG 6.1 | Performance Test and Operational Checks for Ludlum Model 12-A, Model 12, and Model 31 Survey Instruments | 0 | 12/06/91 |
| EMRG 6.3 | Performance Checking and Operation of the Eberline SAC-4 Alpha-Scintillation Smear Counting Instrumentation | 0 | 12/06/91 |
| EMRG 6.4 | Performance Testing and Operation of the Eberline BC-4 Beta Smear Counting Instrumentation | 0 | 12/06/91 |
| *DCN 93.01 | Formula Clarification | 0 | 01/14/93 |
| EMRG 6.5 | Use of the Bicron Frisk-Tech with the A-100 and B-50 Detectors | 0 | 12/06/91 |
| *DCN 93.01 | Equipment Calibration Clarification | 0 | 01/14/93 |
| EMRG 6.6 | Use of the Bicron Fidler (Field Instrument for the Detection of Low-Energy Radiation) | 0 | 12/06/91 |
| *DCN 93.01 | FIDLER Surveys | 0 | 01/15/93 |
| EMRG 9.1 | Respiratory Protection Requirements and Posting | 0 | 12/06/91 |
| *DCN 93.01 | Revisions to Radiation Protection Program | 0 | 01/15/93 |
| EMRG 10.1 | Radiological Deficiency Reporting Program | 0 | 12/06/91 |

CONTROLLED DOCUMENT CHANGE NOTICE (DCN)

EG&G - ROCKY FLATS PLANT ENVIRONMENTAL MANAGEMENT

| cedure his is BerED Stamp | 3-21000-0PS-EMRG | 1.2. Revio |
|---------------------------|------------------|------------|
| 100 | | • . |

Page 1 of _______

| | | 1/14/9 | 3 | | | | | | | |
|--|-------------------|------------------------------------|--|----------|--------------|---------------|---------------|-----------------|--------------|-------------|
| Title -Emrg 1-2- Beta Radiation Surveys | | | | | | Date | 1/11/92 | DCN Numb | or 01 est | |
| ExpiresScope Lim | -12/31/ 12/31/ | / <u>92</u> // 73 Non | e | Pro | cedure Revis | sion Required | <i>A</i> | Yes No | | |
| Item Number | Page | Step or Paragraph | Changes (Use DCN CONTINUATION SHEET for Additional Space) | | | | | | | |
| 1 | 5 of 6 | 5.9 | Chang | ge "Gu | ideline" i | for Referen | ace to | o 1.3 from 1 | .1. | |
| | | | | | | | | | | |
| | | - | | | | | | . , | | |
| Justificatio | on (Reas | on for Change | e – Prov | ride Nur | nbers To Re | ference Corre | espond | ing Items Above |)) | |
| /. Revis | ion for | • | e to E | | | | | Protection Pr | | Health |
| Concurr | ence | Organizati | on | Req | Date | Concurrer | nce | Organization | Req | Date |
| | man | QAPM | | Х | 1/14/93 | | | User | X | |
| Kurv). | C. | PE | | У | 12/18/52 | | | | | |
| DW. Sun | A | ESEE | - | 1 | 1/5/93 | | | | | , . |
| Proval of | of Respo | nsible Manag | er 7 | Date | 193 | Is Posting R | leqd?] No | If Yes, By Wha | t Date? | Date Posted |